

DOSAGE CHART

ACETAMINOPHEN DOSAGE (TYLENOL)

		INFANT'S CONCENTRATED DROPS 80MG/0.8mL	CHILDREN'S SUSPENSION LIQUID 160MG/5mL	CHILDREN'S SOFT CHEWABLE TABLETS 80MG EACH	JUNIOR STRENGTH CHEWABLE TABLETS 160MG EACH
WEIGHT	AGE	DROPPERFUL (USE DROPPER)	TEASPOON	TABLET	TABLET
12-17 lbs	4-11 months	1 = 0.8 mL	½ tsp		
18-23 lbs	12-23 months	1½ = 0.8+0.4 mL	¾ tsp		
24-35 lbs	2-3 yrs	2 = 0.8+0.8 mL	1 tsp	2	
36-47 lbs	4-5 yrs		1½ tsp	3	
48-59 lbs	6-8 yrs		2 tsp	4	2
60-71 lbs	9-10 yrs		2½ tsp	5	2½
72-95 lbs	11 yrs		3 tsp	6	3
96 lbs & over	12 yrs				4

***PLEASE NOTE: ONE DOSE LAST 4 HOURS. DO NOT GIVE >5 DOSES N 24 HOURS.**

IBUPROFEN DOSAGE (CHILDREN'S MOTRIN AND CHILDREN'S ADVIL)

		INFANT'S IBUPROFEN CONCENTRATED DROPS 50MG/1.25mL	CHILDREN'S IBUPROFEN SUSPENSION 100MG/5mL	CHILDREN'S SOFT CHEWABLE TABLETS 50 MG EACH	JUNIOR STRENGTH CHEWABLE TABLETS 100MG EACH	JUNIOR STRENGTH IBUPROFEN CAPLETS 100MG
WEIGHT	AGE	DROPPERFUL (USE DROPPER)	TEASPOON	TABLET	TABLET	CAPLET
12-17 lbs	6-11 months	1 = 1.25 mL				
18-23 lbs	12-23 months	1½ = 1.875 mL				
24-35 lbs	2-3 yrs	2 = 2.5 mL	1 tsp	2		
36-47 lbs	4-5 yrs		1½ tsp	3		
48-59 lbs	6-8 yrs		2 tsp	4	2	2
60-71 lbs	9-10 yrs		2½ tsp	5	2½	2½
72-95 lbs	11 yrs		3 tsp	6	3	3

***PLEASE NOTE: ONE DOSE LAST 6-8 HOURS. NOT TO BE USED UNDER 6 MONTHS.**

***MILLILITER IS ABBREVIATED AS mL; 5ML EQUALS ONE (1) TEASPOON (TSP).**

***DON'T USE HOUSEHOLD TEASPOONS WHICH CAN VARY IN SIZE.**

***ASPIRIN SHOULD NOT BE USED IN CHILDREN TO TREAT FEVER OR PAIN.**